MILWAUKEE TOOL & FORGE CO.



SOUTH MILWAUKEE · WISCONSIN

#### **OUR GUARANTEE — IMPORTANT NOTICE**

Any tools to be reconditioned or replaced under our guarantee please send directly to the factory at South Milwaukee, Wisconsin, or to our nearest branch office.

Under no consideration are our salesmen permitted to pick up for replacement or reconditioning any True-Fit tools.

You are interested in receiving satisfaction on all broken tools. There are too many salesmen representing themselves as Milwaukee True-Fit salesmen, who pick up your tools and have them reconditioned at some small repair shop and then resell them.

This rule has been adopted to protect your interests.

#### ORDERS SHIPPED THE DAY RECEIVED

Our service is prompt and reliable. Send us your mail orders. The salesman will receive credit. You will receive your tools immediately.

#### SERVICE

After quality — our efforts are concentrated on service. To assure prompt deliveries we have established distributing branches carrying stock for your convenience. They are as follows:

Atlanta, Ga.
Baltimore, Md.
Boston, Mass.
Buffalo, New York
Chicago, Ill.
Charleston, W. Va.
Cleveland, Ohio
Columbus, Ohio
Dallas, Texas
Detroit, Mich.
Jacksonville, Fla.
Indianapolis, Ind.
Kansas City, Mo.
Los Angeles, Calif.
Minneapolis, Minn.

Memphis, Tenn. Miami, Fla. New York City Omaha, Nebraska Pittsburgh, Pa. Philadelphia, Pa. Phoenix, Ariz. Portland, Oregon St. Louis, Mo. San Francisco, Calif. W. Toledo, Ohio Vancouver, B. C., Canada Toronto, Ontario, Canada Washington, D. C.

South Milwaukee, Wis.

# Buy Sets and Save Money

Our Shop Motto

# "QUALITY NOT QUANTITY"

In response to a demand by auto mechanics everywhere for a Service Wrench that was better than anything of its kind on the market, we experimented for several years and finally perfected the "True-Fit" line of Open End Service Wrenches described on the following pages. These Wrenches are made of

#### CHROME VANADIUM STEEL

of the highest grade and special analysis, each lot specially selected and bought under mill guarantee.

In addition to the use of this fine stock we take extra care in production. Each tool is individually forged, milled and heat treated (eight times) by slow and careful methods, quality being above quantity:

This results in a Wrench that

will not bend will not spread in the jaws will not break in the head is practically indestructible

The same care is exercised in connection with every article we make, enabling us to cover every "True-Fit" product with the following liberal guarantee:

#### OUR GUARANTEE

All "True-Fit" products are fully guaranteed as to workmanship and material; and that they will do the work for which they are intended as well if not better than any similar tool on the market. We will replace, free of charge, any tool which develops a defect, providing original sales slip, invoice or other evidence of purchase is returned to us with the tool, and said tool has not been abused, improperly ground or otherwise tampered with.

Milwaukee Tool & Forge Company

By W. D. Kyle, President.

# Alphabetical Index

Pe	ge
Adapters —	ge
Plug Adapters	34
Socket Adapters	34
Backouts	11
	30
Chisels —	
Cape	10
Diamond Shape	9
Flat Hand	9
Gouge	10
Rivet Buster	10
Round Nose	10
Sheep Nose	10 21
Extensions	24
Feeler Gauges Ferret Victory Set	18
Ferret Victory Set	33
	35
Flex Handles	31 30
Flex Handles Ford Socket Gear Pullers	42
Groove Cleaners	19
Handles —	
	20
Ignition	35
Screw Drivers	17
King Set22	-23
Knock-Offs Midget Universal Joint.	39 20
Oil Groover	12
Oil Groover Piston Groove Cleaners	19
Pry Bars	12
Pullers —	
Gear	42
wneel	39
Stud	24
Punches —	
Back Out	11
Center	10
Knockout	12 13
Groover Knockout Lining Up	11
Long Drift	12
Oil Groover	12
Pin	$\frac{13}{12}$
Pinch	12
Pry	12
Short Drift	11
Ratchets —	
Small	27
Medium	23
Darge	28
Rivet Busters	10 13
Scrapers	10
Screw Drivers —	16
Bull Dog Extra Long, Thin	16

•	IIIdea	
	Pa	(TO
	Hanvy One Piece	17
	Heavy, One Piece Multi Blade	17
	Offset	16
	Offset Socket Wrench	10
	Screw Driver	16
	Square Shank	16
CI.	The state of the s	
	ocket Connectors	19
S	ockets —	
	Alemite	34
	Drag Link	35
	Eggshell21,	$\begin{array}{c} 34 \\ 20 \end{array}$
	Electrical	31
	Elevible	32
	Flexible	31
	Hexagon24, 28,	30
	Ignition	20
	Long Sockets	35
	Midget	20
	Midget Slotted	34
	Spark Plug	35
	Square Twelve Point	30
	Twelve Point	21
	Wing Nutpecial Wrench	34
S		
	Adaptors	43
$\mathbf{T}$	hickness Gauges	18
T	ool Boxes —	
	Junior Cabinet	25
	King Set Cabinet	26
	Master Mechanics	
	Cabinet	26
	Master Senior Cabinet	27
	Midget Cabinet Mogul Cabinet	20
	Mogul Cabinet	26
	Paramount Cabinet	29
**	Tool Cabinet	40
V	alve Adjusting Tools.	18 15
V	alve Enters	15
v	alve Lifters	11
	CSC I OCRCC IXIOS	11
Y	Vrenches —	
	Chevrolet Universal	25
	Joint Engineers	6
	Egget	36
	Essex	28
	Ignition	8
	L Wrenches24.	32
	One Man	36
	Open End	8
	Ratchet 22 27	28
	Service	6
	Sliding T20, 22,	28
	Service	00
		28
	Tappet Twelve Point Box	1
	Wrenches	37
	Water Pump	8
	mater rump	O

WE take sincere pleasure in submitting for your consideration in this manner a catalog of our various products, coupled with the hope that as a result we will be successful in adding you to our long list of satisfied customers.

Cordially yours,


#### MILWAUKEE TOOL & FORGE CO.

Manufacturers of

"True-Fit" Quality Tools, Chisels and Wrenches.

# DRILL AND TAP SIZES FOR S. A. E., U. S. S. AND PIPE THREADS

S. A. L., C. S. S. AND THE HIREMAN					
S. A.	E. Cap 8	Screws	U. S.	S. Bolt	Thread
Screw			Bolt		
Size	Thread	Drill	Size	Thread	Drill
1/4 "	28	7/32"	1/4 "	20	3/16"
5/16"	24	17/64"	5/16"	18	1/4 "
3/8 "	24	21/64"	3/8 "	16	5/16"
7/16"	20	3/8 "	7/16"	14	11/32"
1/2 "	20	7/16"	1/2 "	13	13/32"
9/16"	18	1/2 "	9/16"	12	29/64"
5/8 "	18	35/64''	5/8 "	11	33/64''
11/64"	16	39/64''	3/4 "	10	5/8 "
3/4 "	16	43/64"	7/8 "	9	47/64"
7/8 "	14	25/32"	1 "	8	27/32''
1 "	14	29/32''	1-1/8 "	7	61/64''
1-1/8 "	12	1- 1/64"	1-1/4 "	7	1- 1/16"
1-1/4 "	12	1- 9/64"	1-3/8 "	6	1-11/64"
1-3/8 "	12	1-17/64"	1-1/2 "	6	1-19/64"
1-1/2 "	12	1-25/64''	1-1/8 "	12	1- 1/64"
Pipe		Thread			Drill
1/8"		27			21/64"
1/4"		18			29/64''
3/8"		18			19/32"
1/2"		14			23/32''
3/4"		14			15/16''
1 "		11-1/2	2		1- 3/16"
1-1/4"		11-1/2	<b>2</b>		1-15/32''
1-1/2"		11-1/2	2		1-23/32"
2 "		11-1/2	2		2- 3/16"
2-1/2"		8			2-11/16"
3 "		8			3- 5/16"
3-1/2"		8			3-13/16"




Catalog Number	Milled Open- ings	Length Over All	Fits SAE Nuts and Cap Screws	Fits USS Nuts (Bolt) Size	Fits USS Cap Screws	Price List
W00	1 1/4 1 3/8	12	7/8	3/4-1   1 1/8		\$2.95
W0	1 1/8 1 5/16	12	3/4	7/8     7/8		2.75
W01	31/32	11	9/16 11/16	3/4		2.15
W1.	15/16 1 1/16	11	5/8 3/4	5/8		2.05
W2	3/4 7/8	83/4	$\frac{1/2}{9/16}$	1/2	1/2 5/8	1.35
W12	3/4		9/16	9/16-1/2		1.35
W3	$\begin{vmatrix} 3/4 \\ 25/32 \end{vmatrix}$	8	1/2	7/16	1/2	1.10
W4	5/8   11/16	$7\frac{1}{2}$	7/16	3/8	7/16	1.05
W14	5/8		7/16 1/2	$ 7/16-3/8 \  1/2 - 7/16 $		1.05
W5	19/32 5/8	7	7/16	5/16	7/16	.90
W15	9/16 5/8	7	3/8 7/16		3/8 7/16	.90
W6	1/2 9/16	$6\frac{1}{2}$	5/16 3/8	1/4	5/16 3/8	.80
W7	7/16 9/16	6	1/4 3/8		1/4 3/8	.75
ws	7/16 1/2	$5\frac{1}{2}$	1/4 5/16	1/4	1/4 5/16	.70
W9	3/8	$5\frac{1}{2}$	1/4 5/16	1/4	5/16	.70

Consists of 8 sizes. Nos. W1, 2, 3, 4, 5, 6, 7, 8, as illustrated and listed above. Complete with case.....\$7.90

Consists of 5 sizes. Nos. W3, 5, 6, 7, 8. Complete with case ......\$4.10 161

#### "TRUE-FIT" TAPPET WRENCHES

Milwaukee Tappet Wrenches are designed for Tappet Adjustment work only. On account of their thin sections, we do not guarantee them if used for other purposes.




Wrench No.	Length	Openings Milled	Price Each
T19	9 "	15/16— 1"	\$1.30
T 1	8 "	7/8 - 3/4 "	1.15
T 2	71/2"	13/16—11/16"	1.00
T12	71/2"	21/32-23/32"	1.00
T 3	7'"	5/8 - 9/16''	.90
T13	7 "	17/32—19/32"	.90
T 4	634"	1/2 - 7/16''	.85
T 5	61/2"	13/32— 3/8 "	.85
T55	71/2"	3/4 —11/16"	1.00

#### TAPPET WRENCH SET, No. 5T

Consists of two each of 5 sizes, (10 Wrenches in set), Nos. T1, 2, 3, 4, 5, as illustrated above. Complete with case ......\$8.95

### TAPPET WRENCH SET, No. 3T


#### SPECIAL TAPPET WRENCHES



TD -SI	pecial for	Dodge, 1/2" opening, per pair\$2.	00
TD6 - SI	pecial for	Dodge 6, %" opening, per pair 2.	.00
TH -SI	pecial for	Hupmobile, 9/16" opening, per pair. 2.	00
		Hupmobile, 21/32" opening, per pair 2.	
THE - ST	necial for	Hunmobile 6 %" opening per pair. 2.	91

[7]

#### MILWAUKEE IGNITION SET



Chrome Vanadium Alloy Steel—Heat Treated. Jaws offset at 30 degree angles. Extremely thin for greater accessibility. Milwaukee Quality built into them. They will take care of your needs and we are proud to offer them to you. Indispensable for ignition and carburetor work. Made in following sizes:

			Tnickness	
Cat No.	Milled Opening	Length	of Head	Price
Ig10	5/32"— 3/16"	21/2"	1/8"	\$0.65
Ig20	7/32"—15/64"	3 "	1/8" 1/8"	.65
Ig30	1/4 "—17/64"	3 "	1/8"	.65
Ig40	9/32"— 5/16"	31/4"	5/32"	.65
Ig50	11/32"— 3/8 "	31/2"	3/16"	.65
Ig60	13/32''— $7/16''$	3¾"	3/16"	.65
Price of s	et complete in case			2 05

You have been waiting for them. Send your order in today.


# "TRUE-FIT" WATER PUMP WRENCH

Although it can be used for various other purposes this wrench has been especially designed for adjusting water pump nuts. They are similar in quality and strength to all "True-Fit" Wrenches and are made from chrome vanadium steel, hand forged, and individually heat treated and hardened.

We can furnish this wrench in four different sizes as to milled openings, as specified below.

Stock No.	Size	Price	Stock No.	Size	Price
WP-36	11/8"	\$1.50	WP-42	15"	\$1.50
WP-40	11/4"	1.50	WP-44	13%"	1.50

#### FLAT HAND CHISELS



These Chisels are individually heattreated, hardened, tempered, and ground.

They are not drop forged, but hammer - forged to retain carbon and give them lasting qualities. These are guaranteed tools.

# HAND CHISEL SET, No. 5FC

Consists of 5 sizes, Nos. FC 1070, 865, 760, 655, 450, as illustrated above. Complete with kit...........\$2.75

Cat. No.	Size Stock	Length	Width of Point	Price
FC 1610	1"	10 "	11/8"	\$1.35
FC 1490	7/8"	9 "	1 "	1.00
FC 1280	3/4"	8 "	7/8"	.80
FC 1070	5%"	7 "	3/4"	.70
FC 865	1/2"	61/2"	5/8"	.60
FC 760	7"	6 "	1/2"	.60
FC 655	3/8"	51/2"	3/8"	.55
FC 550	18"	5 "	76"	.45
FC 450	1/4"	5 "	1/4"	.45

# EXTRA LONG COLD CHISELS Chisel Set No. 4LC

Cat. No.	Size Stock	Length	Width of Point	Price
LC 1614	1"	14"	1"	\$1.90
LC 1413	7/8" 3/4" 5/8"	13"	7/8"	1.55
LC 1212	3/4"	12"	7/8" 3/4" 5/8"	1,20
LC 1012	5/8"	12"	5/8"	.95



#### CAPE CHISELS

Cat No.	Size Stock	Length	Width of Point	Price
CC 1070	5/8"	7 "	3/8"	\$0.70
CC 865	5/8" 1/2" 3/8"	61/2"	3/8" 15" 1/4"	.65
CC 655	3/8"	6 "	1/4"	.50



#### SHEEPNOSE CHISELS

Cat No.	Size Stock	Length	Width of Point	Price
SN 1070	5/8"	7 "	3/8"	\$0.70
SN 865	5/8" 1/2" 3/8"	61/2"	38" 18" 14"	.65
8N 660	3/8"	6 "	1/4"	.50



#### DIAMOND POINT CHISELS

Cat No.	Size Stock	Length	Width of Point	Price
DP 1065	5/8" 1/2"	61/2"	3/8" 16"	\$0.65
DP 860	1/2"	6 "	18"	.60



#### ROUND NOSE GOUGE CHISELS

Cat No.	Size Stock	Length	Width of Point	Price
RN 860	1/2"	6 "	18"	\$0.60
RN 655	1/2" 3/8"	51/2"	18"	.50



#### RIVET BUSTERS

A husky tool originally made for tearing down steel railroad cars. Knocks off rivet and bolt heads quick and clean. Saves your time, effort and money,

Cat No.	Size Stock	Length	Width of Point	Price
RB 1616	1"	16"	1"	\$2.20
RB 1414	7/8" 3/4"	14"	7/8" 3/4"	1.75
RB 1212		12"		1.15
RB 1290	3/4"	9"	3/4"	1.00
RB 1270	3/4"	7"	3/4"	.95

#### CENTER PUNCH

Cat No.	Size	Price
CP 1	% x 5"	\$0.45
CP 2	1/2 x 6"	.50
CP 3	5/8 x 7"	.00

[ 10 ]

	SQUARE BACK-OUTS	
Cat No.	Size	Price
BO 8	½ x 6"	\$0.55
BO 6	3% x 5"	.45
BO.4	1/4 x 4"	.40
Price per	set	. 1.30



#### SHORT DRIFT PUNCHES

	Size Width of Point				
Cat. No.	Stock	Length	or Edge	Price	
SP 1280	3/4"	8"	18"	\$0.70	
SP 1070	5/8"	7"	1/4"	.60	
SP 860	3/4" 5/8" 1/2"	6"	1/4" 3" 16"	.55	

# EXTRA LONG DRIFT OR LINING-UP PUNCHES

Cat No.		P	rice
Lg 1222 — ¾"	Stock — 22"	Long	1.75
Lg 1016 — \%"	Stock — 16"	Long	1.20
Lg 1012 — \%"	Stock — 12"	Long	1.10






TRUE-FIT VEST POCKET KITS
Real tools, properly tempered. Indispensable for small work.

No. 7-VPK consists of:

VPK consists of: Flat chisel, ¼ x 4". Cape chisel, ¼ x 4", ¼" point. Screw Driver, ¼" round, 4½" long, ½" bit. Starter Punch, ¼ x 4½", 1/16" point. Center Punch, ¼ x 4", ½" point.



#### LONG DRIFT PUNCHES

Extra care in production, quality rather than quantity, each tool made like a master, means long life for these punches.

	Size	Width of Point		
Cat. No.	Stock	Length	or Edge	Price
LP 680	3/8"	8 "	5/32"	\$0.65
LP 785	7 "	81/2"	1/4"	.70
LP 890	1/2"	9 "	5 "	.75
LP 1095	3/8" 75" 1/2" 5/8"	91/2"	16 " 3/8"	.80

#### LONG DRIFT PUNCH SET, No. 4LP

Consists of 4 sizes, Nos. LP1095, 890, 785, 680, as illusstrated and listed above. Complete with case....\$2.85

#### PRICK PUNCH



#### OIL GROOVER

Price

\$0.50

\$0.70




# % x 6" PRY OR PINCH BARS

**OG 1** 

Cat No.	A CONTRACTOR	Negrosal Pro		Price
Py 1224 — ¾"	Stock — 24"	Long	 	\$2.00
Py 1018 — %"	Stock — 18"	Long	 <b></b>	1.40
Py 812 — 1/2"	Stock — 12"	Long	 	1.15

#### PIN PUNCHES



Made with the same care as the Chisels. Hammer-forged, individually heat-treated and tempered.

Cat. No. Size Stock Length Width of Point	Price
PP 3 %" 5¾" 3/32"	\$0.50
PP 4 %" 6" 1%"	.50
<b>PP</b> 5 $\frac{7}{18}$ " $6\frac{1}{4}$ " $5/32$ "	.55
PP 6 1/2" 61/2" 3"	.60
PP 8 ½" 6¾" ¼"	.60
PP 10 5/8" 7" 56"	.65

#### COMPLETE PIN PUNCH SET, No. 6PP

#### KNOCKOUT PUNCH

#### BEARING SCRAPER



[ 13 ]

[12]


#### BUY SETS AND SAVE MONEY



#### TOOL SET No. 12P

A set consisting of 6 Pin Punches, 5 Flat Chisels and 1 Cape Chisel, making a dozen tools as illustrated above and listed below.

1 — No. FC 450	1 — No. FC 1070	1 — No. PP 5
1 — No. FC 655	1 — No. CC 655	1 — No. PP 6
1 - No. FC 760	1 — No. PP 10	1 — No. PP 4
1 — No. FC 865	1 — No. PP 8	1 — No. PP 3
Packed in case con	nplete	



#### COMPLETE TOOL SET No. 17P

A set of chisels, punches, and special tools that you will be proud to own and that will enable you to "get things done" quickly and neatly. It consists of the 17 tools illustrated above and listed below. Reading from left to right these tools are as follows:

1 — No. PK 1	1 — No. FC 760	1 - No. PP 8
1 — No. RN 860	1 — No. FC 865	1 — No. PP 6
1 — No. CC 865	1 — No. FC 1070	1 — No. PP 5
1 — No. FC 450	1 — No. SP 1070	1 — No. PP 4
1 — No. FC 655	1 — No. PP 10	1 — No. PP 3
1 — No. CP 1	1 — N	o. OG 1
Price of 17P Set Pack	ted in Case, complete.	\$9.60

TRUE-FIT VALVE RESEATING TOOLS




The set consists of two cutters and five guides, the diameters of which are ½, .325, ½, .388, ½. The two cutters are made from chrome vanadium steel, accurately milled.

The angles of the cutter for cutting the corners off the seat are 30 and 60 degrees. There are a few cars made with 30 degree seats and a few with 60 degree seats, therefore this cutter can be used for the 30 and 60 degree seats and the 45 degree cutter for cutting off the corners. The other cutter is the finishing tool.


Price complete in Wooden Box ...\$12.50

Set for use in
Fords, Chevrolets, etc. Price,
complete in box 7.50



This automatic Valve Lifter is the strongest on the market.

It locks itself automatically, making it impossible for it to slip regardless of the distance between the spread of the jaws. It also lifts the valves parallel. Works on all motors with equal ease.



Cat. No.										Price
OF-16 — 1"	Bit,	10"	Long.	 						\$0.95
OF-12 — ¾"										
OF- 8 — ½"										
<b>OF-</b> $5 - \frac{5}{16}''$										
OF- 4 — 1/4"	Bit.	4"	Long.	 		 				.65

#### BULL DOG SCREW DRIVER



The True-Fit Bull Dog has a square shank of such strength that no twist with wrench or plier will spring it.

Just the screw driver you need for twisting nuts loose.

																			Pri	ce
SSD — 2"																			\$0.	80
SSD - 10''																			1.	50
SSD — 12"																			1.	75

#### LONG SCREW DRIVER



This screw driver has a very long reach and is made especially for working through the radiator on cars that have electrical equipment in front.


Blade is of  $\frac{3}{16}$ " stock, in following lengths with wooden handle:

																							I	rice
LSD - 2"		 																		•			.\$	0.30
LSD — 4"																								.40
LSD — 6"																					• 7			.45
LSD — 8"																								
LSD — 10"																							•	.50
LSD — 12"																								
LSD — 16"				•	•				•			•		•		•	•	•	•			•		.75

[ 16 ]

### HAVE NON-SLIP THREADED HANDLES

#### ONE-PIECE SCREW DRIVER



Here is a Screw Driver superior to anything on the market and warranted to give satisfaction.

This unusual Screw Driver is a fine piece of craftsmanship in tool making. Forged in one solid piece It is absolutely impossible to separate the blade from the handle in the most severe service.

		Price			Price
SD - 3''	Blade	80.65	SD - 8''	Blade	\$1.25
SD-4''	Blade	.75	SD - 10''	Blade	1.50
SD — 6"	Blade	1.00	SD - 12''	Blade	1.75


#### MILWAUKEE MULTI-BLADE SCREW DRIVER SET

These screw drivers are made like all other famous True-Fit Tools, on a quality basis. They are interchangeable with all Milwaukee handles as well as the patented wood handle shown.

Made of one piece steel, specially heat treated for toughness.

Milled tips, perfect fit, tight grip, non-slip.


	Price
KSD-1 — 1/4" Bit	\$0.85
$KSD-2 - \frac{5}{16}''$ Bit	.85
<b>KSD-3</b> — ¾" Bit	
<b>KSD-4</b> — ½″ Bit	
KSD — Handle	
Set of Blades only	3.40
Set complete with	
handle	4.35



# QUALITY NOT QUANTITY

#### TRUE-FIT THICKNESS GAUGE





Feed as you use.

The blades are made from the very best grade of imported Swedish Steel, and the micrometer sizes of the 10 blades are as follows: .0015, 2, 3, 4, 5, 6, .007, 8, 10, and 15 thousandths.

The blades are fastened to the handle with a screw and nut making it possible for the individual blades to be removed if that be necessary.

	Pric	e
	with ten 3½" blades	
	for 31/2" Feeler, each	
Feeler gauge	with eight 7½" blades 1.8	5
Extra blades	for 7½" Feeler, each	5

Milwaukee straight length feeler blades furnished in round holders-eliminating waste.

Feeler gauges in straight 18" lengths of one size stock only can be furnished in .0015, 2, 3, 4, 5, 6, 8 and 10 thousandths thicknesses. Price, complete with Handy Holder ......80.45



# MILWAUKEE FORD VALVE ADJUSTING TOOL


To use this tool for adjusting valves, remove head and clean motor block.

Milwaukee Ford Valve Adjusting Tools are made interchangeable for use either in passenger cars, trucks or tractors.

VA-1 .....\$0.75

[ 18 ]


### RING GROOVE CARBON SCRAPER



The Double Acting Piston Groove Cleaner - Double Acting. vet. Quick and Easy.

Made in four sizes to take all makes of pistons.

High carbon spring handle with sharp cutting edges give easy operation and long wear.



Point ...... .85

Point ........ .85

### SOCKET CONNECTORS

PC- 2 -PC- 3 -

For those hard-to-reach places we have developed a complete range of socket connectors. They have a very short overall length and the sockets are extraordinarily thin walled.

Made to use with either the HS-7 or MH-17 standard ratchet.

Milled end, ½" square; overall length, 1-1/16"; diameter ratchet end, ½" square; socket length, 1/2", socket depth. 3%".

Cat. No.	Hexagon Opening	Price
SA-214	7/16"	\$0.60
SA-216	1/2"	.60
SA-218	9/16"	.75
SA-220	5%"	.75
SA-222	11/16"	.80
SA-224	%4"	.80

Milled end, ¾" square; overall length, 1½"; di-ameter ratchet end, ¾" square; socket length. 34": socket depth, 9/16".

Cat.	Hexagon Opening	Price
SA-326 SA-328	13/16" 7/8"	\$0.90 .90
SA-332	1"	.90
SA-334	1-1/16"	.95
SA-336	11/8"	1.00

[19]

#### MIDGET SOCKET WRENCH SET



The True-Fit Midget Set consists of real tools, properly tempered and of True-Fit quality.

Heavy, practical, yet designed especially for work on small nuts in hard-to-reach places.

Needed always—on little nuts and bolts, ignition, carburetor, radio, and all small electrical bench work.

Set consist 6 " Exten			dla										80	0.4
41/2" Slidin														
Spintite H:	andle												 	.4
6 Hexagon														
and 76	000	h	/4	, 0/	,	16	,	/	_	,	10	,		. 2
														•/-
2 Square S	ocke	ts -	1/4".	16"	eac	ch							 	.%
11 Units.														
II CHIES.														



A Midget Universal and yet made like a master out of True-Fit special analysis alloy steel, heat treated.

True-Fit Midget Universal is a practical necessity for those hard-to-get-at places.

Price ......\$0.85

# COMBINATION IGNITION AND MIDGET WRENCH SET



This combination set is just what you must have for ignition work, carburetor work and all small electrical work. You can't afford to be without it.

Each tool designed very small with thin walls for the greatest accessibility and yet these tools made from our special alloy steels are exceptionally strong and sturdy.

Combination No. 2 consists of — Midget Set, Ignition Set, Midget Universal. \$7.75

#### TRUE-FIT CHROME NICKEL, 12-Pt. SOCKETS








Socket No.	Size of Opening	Price Each	Socket No.	Size of Opening	Price Each
S-1412	7/16"	\$0.40	S-2212	11/16"	\$0.50
S-1612	1/2 "	.40	S-2412	3/4 "	.50
S-1812	9/16"	.40	S-2512	25/32"	.50
S-1912	19/32"	.40	S-2612	13/16"	.60
S-2012	5/8 "	.40	S-2812	7/8 "	.60

Require only one-half as much space for handle movement.

True-Fit Sockets are guaranteed not to round out or split. The extra sharp broaching insures a non-slip grip.

Extremely thin socket walls and double broach permits working in tight, closed places.

True-Fit 12-Point Sockets combined with True-Fit Speeders, Tee Handles, or Ratchet Handles make what was formerly work—a pleasure.



# "MILWAUKEE TRUE-FIT" King Set, Complete as Above, \$15.25

Thin wall sockets made in our own factory from solid billets of special analysis Alloy tool steel, heat treated in our own specially designed furnaces, will not round out or split.

The high quality, costly steel of which Milwaukee True-Fit sockets are made hardens and tempers like the steel in a fine Damascus sword blade.

Note that these sockets vary in length according to size—a revolutionary departure in socket manufacture. This has two big advantages—greater strength, for the short socket will withstand great twisting strain; and great accessibility in places impossible with the long awkward sizes. The extremely thin walls and the tapered nose

also means convenience in slipping the sockets over those nuts in tight corners.

True-Fit sockets are manufactured with extremely thin walls and long tapered noses and yet fully guaranteed against rounding out or splitting because we use tool steel in their manufacture. This tool steel given our own special treatment is the reason why Milwaukee sockets are the best sold today.

True-Fit sockets are accurately machined to a true fit on handles and nuts. They easily slip on to the handle, yet their openings are so correctly machined that no "play" is allowed. True-Fit sockets have a heavy rust-proof finish.

See next page for size and prices.

#### KING SET — Prices and Specifications

	Size of	Fits SAE			
Socket	Hex.	Nuts and	Fits USS	Fits USS	Price
No.	Opening	Capscrews	Nuts	Capscrews	Each
S12	3/8 "				\$0.35
S14	7/16"	1/4 "		1/4 "	.35
S16	1/2 "	5/16"	1/4 "	5/16"	.35
S18	9/16"	3/8 "		3/8 "	.35
S19	19/32"		5/16"		.35
S20	5/8 "	7/16"		7/16"	.40
S22	11/16"		3/8 "		.40
S24	3/4 "	1/2 "		1/2 "	.40
S25	25/32"		7/16"		.45
S26	13/16"			9/16"	.45
S28	7/8 "	9/16"	1/2 "	5/8 "	.45
Hs. 1 —	Long Spee	der			\$1.35
Hs. 2 —	Brace				1.50
Hs. 4 —	Short Spee	d Extension			1.10
S14 to	28 inclusive	e — Sockets.			3.95
King S	et complete				15.25
the second secon			1-4- C T	To-	
Hs. 3 —				[ex	
Hs. 5 —					
Hs. 5 —				• • • • • • • • • • • • •	
Hs. 6 —					
118. 0 —	10				1.20
		Extension f			Price
4" Exter	nsion, ½" S	Square			50



#### TRUE-FIT STUD PULLER

Broached to fit all True-Fit Handles, and is interchangeable.

Its design enables the Milwaukee Stud Puller to take any length of studs.

Broached to fit all Milwaukee handles interchangeable with other handles.


Will take all sizes of stud from 1/4" to 3/4" inclusive.

Made out to True-Fit special analysis Alloy Steel, heat treated.

So designed so that when used with ratchet or handle the roller automatically grabs or releases the stud.

You cannot	afford to	be w	vithout	this	ideal	stud	puller.
No. 1 - Threads	to 5%"	only					\$1.75
No. 2 - All Thr	eads 1/4	to 3/4"	incl				1.95

#### TRUE-FIT JUNIOR SET



Made up especially for the young mechanic. Tools are exactly the same as in the larger sets, so that units can be added from time to time until completely equipped. Egg Shell Sockets as follows:

 Hs. 2 — Brace Handle
 S14 7/16" Socket
 S22 11/16" Socket

 Hs. 5 — Long Extension
 S16 1/2 " Socket
 S24 3/4 " Socket

 Hs. 3 — Sliding Tee
 S18 9/16" Socket
 S28 7/8 " Socket

Hs. 7 — Ratchet S20 5/8 "Socket S30 15/16" Socket

4 Handles including Ratchet 1 Box

8 Egg Shell Sockets

13 Units

Price complete with strong, black lacquered steel box. \$10.25


# CHEVROLET UNIVERSAL JOINT



Just the wrench you have been waiting for. A time saver and a practical necessity for servicing Chevrolets. Made of Chrome Nickel steel.

CUJ2 — ½" Milled opening one end, ½" broach other end . . . . . . . . . . . . . . . . . . 1.05

#### No. 2 MASTER MECHANICS SET



This No. 2 Master Mechanic's Set gives you the equivalent of 375 to 400 one-piece wrenches. Cabinet is of heavy sheet metal construction with a dark green baked enamel finish. Each tool in its place.

No. 2 Master Mechanics Set consists of:

Hs. 1 — Speeder. Hs. 3 — Adjustable Tee

Handle.

Hs. 4 — Short Speed

Extension.

Long Speed
Extension.

Hs. 6 — Offset Handle. Hs. 7 — Reversible Ratchet. Hs. 8 — Universal. 10 Hexagon Sockets. Plus Cabinet.

Total of 19 units.

Price ......\$15.45

# "TRUE-FIT" MOGUL SET AND CABINET



#### MASTER SENIOR SET



The Milwaukee Master Senior Set is the one you will want to own. Increased efficiency, increased earning power is the result which the thousands of Mechanics now using this set have found. Set consists of:

Hs. 1 - Long Speeder.

Hs. 2 — Brace Handle. Hs. 3 — Adjustable Tee Handle.

Hs. 4 — Short Speed Extension.

Extension.

Hs. 5 — Long Speed
Extension.

Hs. 6 - Offset Handle.

Hs. 7 — Ratchet. Hs. 8 — Universal.

S14 to 28 inclusive. 1 SS16, 18, 20.


1 Kal 1.

1 Drag Link Socket, DLS 24.

Set consists of 24 units.

Complete with strong steel black lacquer container...\$20.95

# SMALL RATCHETS




# HEXAGON SOCKET OPENING

#### SQUARE SOCKET OPENING

Small Ratchets for light work—and hard-to-reach places. Necessary to complete midget set as shown page 20.

# "TRUE-FIT" MOGUL HEAVY DUTY HANDLES AND SOCKETS



Designed particularly for heavy-duty work on passenger cars, trucks and tractors.

Handle broaching ¾" square. Made of Milwaukee True-Fit Special Alloy Steels.

Price
M.H. 13 — Adjustable Handle
M.H. 14 — Short Extension 1.25
M.H. 15 — Long Extension 1.55
M.H. 17 — Ratchet 5.25
M.S. 30 — 15/16" Socket
M.S. 31 — 31/32" Socket
M.S. 32 — 1
M.S. 34 — 1-1/16" Socket
M.S. 36 — 1-1/8 " Socket
M.S. 40 — 1-1/4 " Socket
M.S. 44 — 1-3/8 " Socket
M.S. 46 — 1-7/16" Socket
Mogul Set, complete
Mogul Set, complete with metal case16.95

# No. 1 PARAMOUNT SERVICE SET



Many hundreds of different sizes and styles of wrenches can be made from the Milwaukee units in the compact cabinet shown above.

#### NO LOST TOOLS!

Every tool has its place and all are in plain sight. Cabinet opens up completely; tray is removable, no fumbling, and hunting for tools. Cabinet of green baked enamel inside, black outside, reinforced ends, and made of heavy sheet metal throughout.

No. 1 Paramount Service Cabinet is complete with the following tools further described in other sections of the catalog.

1 King Set (18 pieces)

1 Mogul Set (12 pieces)

1 Pad 64 (1 piece)

1 Set (7) Square Sockets (7 pieces) (SS-12-SS24 inclusive.)

1 Cabinet

1 MSS28

1 MS48

Price		\$38.35
-------	--	---------

A total of 40 tools without cabinet, 12 handles, 27 sockets, including both the Regular and Heavy Duty Ratchets — 2 Ratchets.

Price of No. 1 Cabinet only......\$6.25

# EXTRA SQUARE SOCKETS TO FIT KING SET



									Price
S.S. $10 - \frac{5}{16}$ "									\$0.35
S.S. 12 — 3/8"									.35
S.S. $14 - \frac{7}{16}$ "									.35
S.S. $16 - \frac{1}{2}$ "			•	•					.40
S.S. $18 - \frac{9}{16}$ "									.40
S.S. $20 - \frac{5}{8}$ "	•			•		•			.45
S.S. 22 — 11 "		•				•			.50
S.S. 24 — 3/4"				:					.55



# EXTRA HEXAGON SOCKETS TO FIT KING SET

S.	30 —	15/	16"							\$0.55
S.	31 -	31/	32''							.60
S.	32 —	1"								.65

# SPECIAL FORD SOCKETS For New Ford



Chrome Nickel Alloy Steel — Heat Treated. Made to fit connecting rods on the new Ford. No other size will fit and this is the only socket of this size on the market.

S2112 — 12 Point ......\$0.50

# SPECIAL CHEVROLET SOCKET



Chrome Nickel Alloy Steel — Heat Treated. A real time saver. Made for use on the Chevrolet guide or anchor pin on brake assembly.

#### EXTRA HEAVY DUTY SOCKETS




#### HEXAGON

M.S. 28 — 7/8"	\$0.55	M.S. 58 — 1-13/16"	\$1.90
M.S. 48 — 1-1/2"	1.10	M.S. 60 — 1- 7/8 "	2.10
M.S. 52 — 1-5/8"	1.35	M.S. 64 - 2 "	2.25
M.S. 56 — 1-3/4"	1.75		

#### SQUARE

M.S.S. 28 — 7/8"	\$0.60	M.S.S. 32 - 1''	\$0.65

# TRUE-FIT FLEX HANDLES Time Savers



Chrome Nickel Steel — One Piece — Oil Hardened.

True-Fit Flex Handles can be used at any angle. The service end is very flexible.

Broached to take all standard handles with ½" square service ends. True-Fit Flex can therefore be used as "T" wrenches, offset wrenches, "L" wrenches, and many other shapes. The square broaching is an exclusive True-Fit feature.


Because of its one-piece design, True-Fit Flex is exceptionally strong and durable.

#### Made in two sizes -

11"	Flex																•			\$2.15
15"	Flex																			2.65

[ 30 ]

# "TRUE-FIT" FLEXIBLE SOCKETS Thin Wall



Extraordinarily small and thin.

Especially designed to facilitate working on rear cylinder studs, motor base bolts and timing gear cover nuts.

These sockets will permit you to work at an angle of 90 degrees and you will find them better than any you have worked with before.

FS-16 — ½"																									 						\$1.5
5-18 - 16																					٠.										1.5
S-20 — 5/8"												114	0	. 7												200	0	500			1 5
$S-22 - \frac{11}{16}$ "	100								70	725		220	Ť		•			•	•	•		•	•	•		•	٠	•	٠.	•	1.0
$8-24-\frac{16}{4}$ "			٠.	•	•		•	٠.			٠.			•		•	•			•			٠	٠.				•	٠.		1.0

#### FLEXIBLE SOCKETS

Flexible sockets combined with True-Fit speeders or Tee Wrenches are indispensable for such work as:

Removal of cylinder block, Adjustment of brake bands. Removal of water pump. Getting behind tank,


Getting behind tank.
Bolts on inside of Ford Carburetor.
Removal of Essex head bolts and
others too numerous to mention.



True-Fit flexible sockets will permit you to work at an angle of 90 degrees and you will find them better than any you worked with before. Made in five sizes:

Consists of:	No. 1-FS	SET	
FS 16 — ½"	\$1.40	FS 22 — 11"	\$1.50 1.50
FS 18 — 18"	1.50	FS 24 — ¾"	1.50
FS 20 — %"	1.50		
1 Hs 5-20 Speed Hand	lle. 20"		
1 Hs 3-15 Sliding Tee,	15"	· · · · · · · · · · · · · · ·	1.35
1 Hs 6-15" Offset Han	dle, 15"		1.25
Price of set complete			10.80

#### FERRET VICTORY SET



The True-Fit Ferret Victory Set is composed of the parts shown below. Each tool built like a master. Chrome Nickel Steel Oil Hardened.

#### All sockets broached 12 point.

Each section made sturdy and strong, and yet, very small and thin for accessibility.

The well-known True-Fit Quality is in every part of this Ferret Victory Set.

Composed of the following:

Handles	
Cat No.	Price
FV1 — Speeder	\$1.10
FV3 — Adjustable T Handle	. 1.00
FV4 — Short Extension — 51/2" Long	75
FV5 — Long Extension — 11" Long	
FV6 — Offset Handle — 8"	90
FV7 — Ratchet	1.50
FV8 — Universal Joint	1.50
Sockets	
F12 — Socket — %" Opening	30
$\mathbf{F}_{14} - \operatorname{Socket} - \frac{7}{16}''$ Opening	
$\mathbf{F}_{16}$ — Socket — $\frac{1}{2}$ " Opening	
$\mathbf{F18} - \mathbf{Socket} - \frac{9}{16}$ Opening	
F20 — Socket — 5/8" Opening	
Price of set complete with metal case, including ratch	et
and universal 12 units	8.75

# ADAPTORS TO CONNECT MOGUL AND KING SET AND OTHER SETS





		Price
PAD 65 — Plug,	34" one end	20.05
	5/8" one end	
PAD 64 — Plug,	34" one end	
	1/6" one end	





				Price
SAD 43 — ½"	Socket one end	}		\$0.60
3/8"	Plug one end	Š		. φυ.υυ
SAD 45 — ½"	Socket one end	}		60
5/8"	Plug one end	ς		00
SAD 46 — ½"	Socket one end	<b>)</b>		60
	Plug one end	S		00
SAD 54 — 5/8"	Socket one end	<b>(</b> )		75
1/2"	Plug one end	ĵ · · · · · · · · · · · · · · · · · · ·		
SAD 56 — 5/8"	Socket one end	<b>}</b>		75
3/4"	Plug one end	Š		
SAD 64 — ¾"	Socket one end	<b>\</b>	ý	80
1/2"	Plug one end	<u> </u>		00
SAD 65 — ¾"	Socket one end	(		80
5/8"	Plug one end	(		00

# SPECIAL ATTACHMENTS, KING SET





								Price
I	KAL 1—	Alemite	Socket		 	 	 	\$0.55
ŀ	WN1-	Wing N	ut Soci	æt.	 	 	 	75

#### TRUE-FIT FLANGE SWEDGING DIE






All sizes from ½" to ½".

Also note the lining-up holes provided in side of flange die for better accuracy, and the clamping device to keep the die from spreading while being used.

Made for accurately repairing gasoline lines, vacuum tank tubes and all similar copper tubing work without danger of splitting end of tube.

Price ......\$2.75

#### MILWAUKEE SPARK PLUG SOCKETS



Just the thing for those plugs that are hard to get at -and no chance of breaking the porcelain. Use with ratchet

Made in six sizes and will service 98 per cent of cars now in use.

Ideal for spring clip work on all cars and trucks.

They are also very handy on truck and tractor work where the stud sticks through the nut.

SPS-24 — ¾"\$ SPS-28 — ½" SPS-30 — 15/16"	0.80	SPS-32 — 1"\$0.95
SPS-28 — 7/8"	.85	SPS-34 — 1-1/16" 1.00
SPS-30 — 15/16"	.90	SPS-36 — 11/8" 1.05




#### DRAG LINK ADJUSTING SOCKETS

For use on slotted nuts on automobile and truck steering assembly hous-

DLS-24 —	3/4"														\$0.50	
DLS-32 —																
DLS-40 —	11/4"							•	•	•	•	•	٠	•	.70	

#### TRUE-FIT ESSEX WRENCH




This wrench specially designed for Essex Cylinder Head work. Will take all nuts on Essex head. A practical necessity for servicing Essex cars.

It is also a very adaptable wrench for work on Olds, Oakland, and Buick cars.

Made of Chrome Nickel Steel. Furnished broached either  $\frac{1}{2}$ " hex., or  $\frac{9}{16}$ " hex. 12-point broaching.

ESH1 — 16	opening	\$1.05
ESH2 — ½	opening	1.05

#### "TRUE-FIT" ONE-MAN WRENCH



Excellent for Ford crank case work, Buick rocker arm work, etc.

Made of one piece Chrome Vanadium Steel and hand forged.

<b>OM-18</b> $-\frac{9}{16}$ " Opening, Bent Handle	50.70
OM-18½ — 16" Opening, Straight Handle	.70
OM-16 — ½" Opening, Bent Handle	
OM-16½ — ½" Opening, Straight Handle	

### TRUE-FIT CHROME VANADIUM 12-Pt. BOX WRENCHES



		Size	
Wrench No.	Size of Opening	of Handle	Price
BW-1214	3/8 " and 7/16"	3/8 "	\$1.60
BW-1618	1/2 " and 9/16"	7/16"	1.70
BW-2022	5/8 " and 11/16"	1/2 "	2.00
BW-2425	3/4" and 25/32"	9/16"	2.25
BW-2628	· 13/16" and 7/8"	9/16"	2.50
BW-3032	15/16" and 1"	5/8 "	2.60

Milwaukee 12 points are made with double offset ends, each end broached of a different size—giving you two wrenches in one.

Milwaukee 12 points are also so designed that the size of the broaching on both ends of one wrench fit as nearly as possible a specific make of car, i. e., BW-2628 fits practically all makes of Chevrolet cars, etc.

Remember, every True-Fit BW (Box Wrench) you buy means two complete wrenches for you—giving double efficiency.

# SPECIAL BOX WRENCHES



Chrome Vanadium - Oil Hardened.

These box wrenches are designed for the very-hard-toget-at-places. Short and thin, yet sturdy and strong.


They are offset at the proper angle for greatest accessibility and, because of their thin sections you will find them indispensable.

An exclusive feature is the thin, wide handle insuring a good grip.

Cat No.	Openings	Length	Price
FB-1416	7/16" and 1/2"	6"	\$1.50
FB-1820	9/16" and 5/8"	61/2"	1.50

#### SOCKET HANDLES - HAND FORGED

One Piece



Made of our Special Alloy Steel with Long Tapers. Thin Walls and Short Bend Handles. Heat treated to give you strength and durability.

These tools are made to service so many jobs that they are a necessity in any shop.

SH 16 — 1/2 "	 0.75
SH 18 — 9/16"	 .85
SH 20 — 5/8 "	 .95
SH 22 — 11/16"	 1.05
SH 24 — 3/4 "	 1.15

### **BOX WRENCHES**



#### Single End Broached 12 Points

Chrome Vanadium Alloy Tool Steel—Heat Treated.

These can be furnished with either straight or offset ends.

All are broached 12 point for speed.

Take advantage of these very low prices and stock up now. The order blank below is for your convenience.

	Size	Size	
Cat. No.	Opening	Handle	Price
SBW1212	3/8 "	3/8"	\$0.70
SBW1412	7/16"	3/8 "	.70
SBW1612	1/2 "	7/16"	.75
SBW1812	9/16"	7/16"	.80
SBW2012	5/8 "	1/2 "	.90
SBW2212	11/16"	1/2 "	.95
SBW2412	3/4 "	9/16"	.95
SBW2512	25/32"	9/16"	1.05
SBW2612	13/16"	9/16"	1.05
SBW2812	7/8 "	9/16"	1.10
SBW3012	15/16"	5/8 "	1.15
SBW3212	1"	5/8 "	1.20

#### KNOCK OFFS



and Knock-Off

For knocking wheels and gears off of tapered shafts, leaving the thread clean and true. These eight sizes fit 98 per cent of all passenger cars and trucks. Made of chrome nickel steel.

nickel steel.		
KO-10 — Thread	size \%" — 18.	Price\$0.90
Chevrolet 490 Durant 4	Essex 6 Ford	Gray Overland
And other	makes using a	%"-18 Axle Thread.
KO-10s — Thread	l size %"—18. Star C	Price

KO-12 — Thread	size	3/4" — 16.	Price	\$1.15
Chevrolet 24-47		Franklin		Moon A
Dort		Gardner		Saxon
Flint		Maxwell	to 1993	Pontigo

And other makes using a 3/4" - 16 Axle Thread.

KO-14 - Thread	size 7/8" — 14. Price.	\$1,30
Buick 4, 6	Hupmobile	Paige
Chalmers	Jewett	Peerless
Chandler	Jordan	Roamer
Chrysler	Marmon	Stearns
Cleveland	Maxwell 23-25	Studebaker L-6
Columbia	Mitchell	Stutz
Dodge	Moon	Templar
Essex 4	Nash	Velie
H. C. S.	Oakland	Yellow Cab
Haynes 55	Oldsmobile	Ford Ton Truck
Hudson	Overland	

And other makes using a \\"-14 Axle Thread.

KO-16 — Thread	size 1" — 14. Price	\$1.75
Auburn	Rickenbacker	Maxwell Truck
Case X, J 1 C	Studebaker	Vim Truck
Olds Four	Heavy & Spl. Six	Velie Truck
Packard	Chevrolet Ton Truck	
Reo	Bethlehem Truck	

And other makes using a 1"-14 Axle Thread.

	$\frac{1}{8}'' - 14$ . Price. $\frac{1}{4}'' - 12$ . Price.	
Buick Master Six Corbett Model S. Truck	Fulton Model A Truck G. M. C. Trucks	Haynes 60 Kissel Kar Reo Truck
KO-20-7 — Thread	size 1¼"—7. Price. Graham Trucks	\$2.00

#### MILWAUKEE TOOL CABINET

All Metal




A safe place to keep your tools.

Any tray can be removed with the tools.

Price.

Only. \$9.00.





Separate drawers keep your tools where they are quickly available at all times.

### MECHANIC'S SET No. 100, \$59.95

1 — King Set 1 — Mogul Set 1-8W Set 1-5T Set 1 — 6PP Set 1-5FC Set 1 — Milwaukee Tool Cabinet

## MECHANIC'S SET No. 101, \$48.95

1 — Mogul Set 1 — King Set 1 — 3T Set 1 — 5W Set

1 — Square Socket Set (6) 1 — Milwaukee Tool Cabinet

# MECHANIC'S SET No. 102, \$43.60

1 — King Set 1 — Mogul Set 1 — Square Socket Set (6) 1-KAL1 1 - LSD241-KWN1

1 - LSD321 - LSD401 - Milwaukee Tool Cabinet

# MECHANIC'S SET No. 103, \$37.40

1 - King Set 1 - Mogul Set 1 - Milwaukee Tool Cabinet

# MECHANIC'S SET No. 104, \$22.25

1 — Mogul Set 1 — Milwaukee Tool Cabinet

# MECHANIC'S SET No. 105, \$22.10


1 — King Set 1 — Milwaukee Tool Cabinet Price of Cabinet only.....\$9.00

#### TRUE-FIT GEAR PULLERS



This puller is especially designed for Ford generator work. Just as good on other cars. A valuable tool for work on battery connections, etc.

#### No. 15 GEAR PULLER



5 Sets of Jaws

### PRICES, TRUE-FIT GEAR PULLERS

No.	Price
101 — Industrial Puller	\$28.00
15 - Puller with 5 Sets of Jaws (Perch and Ford	1
Special Jaws inc.)	20.00
15 - Puller with 3 Sets of Jaws	12.00
5 — Puller (2 Sets of Jaws)	5.00
5 — Puller (1 set of Jaws)	3.50
Narrow Wide or Cap Screw Jaws PU-15 pair	2.50
Ford Special Jaws, pair	5.00
Perch Jaws, pair	3.00
70 — Attachment Ford Drive Shaft Pinion	3.00
75 - Attachment Ford Generator Bearings	2.00
80 — Slip Ring Bearing Attachment	2.00
85 - Race Puller for Ford Generator Bearing Cap	3.00

#### SPECIAL WRENCH ADAPTORS





SE 18

OE 24

Chrome Vanadium - Oil Hardened.

Make your own special tools and save money.

Every new model car demands special tools and to keep up with these special tool requirements is costly. We have designed, therefore, what is called the SPECIAL WRENCH ADAPTOR. These adaptors can be made in either box wrench style or open end wrench style in the sizes listed below.

These special wrench adaptors are broached with ½" handle broach to fit any True-Fit handles. They are also interchangeable with other handles.

Use them at any angle, with offset handles, speeders, braces, extensions, and others.

<b>OE20</b> — 5/8" milled opening\$0.95
$OE22 - \frac{11}{16}$ " milled opening
<b>OE24</b> — ¾" milled opening
CITIES 1// 10
$\mathbf{SE16} - \frac{1}{2}''$ 12 point broaching
<b>SE18</b> — <sup>9</sup> <sub>16</sub> " 12 point broaching
SPECIAL OPEN END WRENCH COMBINATIONS
5WS Set—Combination of W5, W6, W7, W8, W14,
complete with case\$4.20
6W Set—Combination of W3, W4, W5, W7, W9, W12,
complete with case\$5.85

6WS Set—Combination of W1, W2, W14, W15, W6,

Dewitt-Non garde Smile Band Road and Colom Blook